



RECOMMENDATION TO GISB EXECUTIVE COMMITTEE

Requester:Tennessee Gas Pipeline Co.

Request No.: R97039

1. Recommended Action:

- Accept as requested
- Accept as modified below
- Decline

Effect of EC Vote to Accept Recommended Action:

- Change to Existing Practice
- Status Quo

2. TYPE OF MAINTENANCE

Per Request:

- Initiation
- Modification
- Interpretation
- Withdrawal

- Principle (x.1.z)
- Definition (x.2.z)
- Business Practice Standard (x.3.z)
- Document (x.4.z)
- Data Element (x.4.z)
- Code Value (x.4.z)
- X12 Implementation Guide
- Business Process Documentation

Per Recommendation:

- Initiation
- Modification
- Interpretation
- Withdrawal

- Principle (x.1.z)
- Definition (x.2.z)
- Business Practice Standard (x.3.z)
- Document (x.4.z)
- Data Element (x.4.z)
- Code Value (x.4.z)
- X12 Implementation Guide
- Business Process Documentation

3. RECOMMENDATION

CODE VALUES LOG (for addition, modification or deletion of code values)

Document Name and No.: Nomination 1.4.1, Scheduled Quantity 1.4.5

Business Name	Usage	Code Value	Code Value Description	Code Value Definition
Capacity Type Indicator	MA	TP	Tertiary to Primary	Specifies tertiary receipt capacity to primary delivery capacity.
		TS	Tertiary to Secondary	Specifies tertiary receipt capacity to secondary delivery capacity.

RECOMMENDATION TO GISB EXECUTIVE COMMITTEE

Requester: Tennessee Gas Pipeline Co.

Request No.: R97039

TECHNICAL CHANGE LOG (all instructions to accomplish the recommendation)

Document Name and No.: Nomination 1.4.1, Scheduled Quantity 1.4.5

G850NMST - Nomination
X12 Mapping
Table "SI 1000/234 Pairs (Sub-detail)" - add code values "TP", "TS" for data element Capacity Type Indicator. See Code Values Log
G865SQTS - Scheduled Quantity
X12 Mapping
Table "SI 1000/234 Pairs (Sub-detail)" - add code values "TP", "TS" for data element Capacity Type Indicator. See Code Values Log.

4. SUPPORTING DOCUMENTATION

a. Description of Request:

The addition of two codes to the Data Element entitled Capacity Type Indicator in the Nomination Dataset 1.4.1 and the Scheduled Quantity Dataset 1.4.5.

The two new values would be "Tertiary to Primary" and "Tertiary to Secondary."

b. Description of Recommendation:

Information Requirements Subcommittee

Add two codes to the data element "Capacity Type Indicator" in the Nomination and Scheduled Quantity documents. These would be as follows:

<u>Code:</u>	<u>Definition:</u>
Tertiary to Primary	Specifies tertiary receipt capacity to primary delivery capacity.
Tertiary to Secondary	Specifies tertiary receipt capacity to secondary delivery capacity.

Sense of the Room: July 15, 1997 14 In Favor 0 Opposed

Segment Check (if applicable):

In Favor: ___ End-Users ___ LDCs ___ Pipelines ___ Producers ___ Services
 Opposed: ___ End-Users ___ LDCs ___ Pipelines ___ Producers ___ Services

Technical Subcommittee

Sense of the Room: July 23, 1997 9 In Favor 0 Opposed

Segment Check (if applicable):

In Favor: ___ End-Users ___ LDCs ___ Pipelines ___ Producers ___ Services
 Opposed: ___ End-Users ___ LDCs ___ Pipelines ___ Producers ___ Services



RECOMMENDATION TO GISB EXECUTIVE COMMITTEE

Requester: Tennessee Gas Pipeline Co.

Request No.: R97039

c. Business Purpose:

Currently, the Data Element values for Capacity Type Indicator in the Nomination Dataset are limited to five possible values. The addition of two new values will allow shippers . . . to nominate additional rights for existing service provisions associated with firm transportation service, namely tertiary capacity on supply laterals.

d. Commentary/Rationale of Subcommittee(s)/Task Force(s):

IR: Implemented as requested with the addition of definitions for the two new code values.