Orig #	Category	1ST Sub-Category	2ND Sub-Category	Description of Seam Issue	Comments	Assoc/ Notes	Seam Interface Type	Region 1	Region 2	Seam Impediment Type	Currently Being Addressed ?	Submitter	Reference Papers	Priority	Resp Org
36	Congestion Management	Congestion Management Market Coordination	Coordinate Hedging Instruments at Market Interfaces	Coordination of market based congestion hedging instruments, such as FTRs, between adjacent RTOs with markets, especially for out and thru' transactions		59	RTO Market to RTO Market	All RTOs with market	All RTOs with market	Market Rule / Business Practice		Raj Rana - AEP	No	3	
132	Congestion Management	Congestion Management Market Coordination	Joint Re-Dispatch Agreements	Interaction with American Transmission Company; possible joint redispatch agreement among ATC-PJM-Generators on ATC's system			All	PJM	MISO	Market Rule / Business Practice	In PJM/MISO Congestion Management Proposal Whitepaper	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	к	3	
115	Congestion Management	Congestion Management Market Coordination	Standardize Congestion Management Market Data Exchange	Congestion Management Procedures including reciprocal coordination agreement, exchange of data for real-time and projected operations, SCADA, EMS, Operations Planning and Planning information and models; better granularity, avoid double counting, use of state estimator and LMP to enable RTOs to accurately and consistently quantify flows/impacts outside of NERC IDC to enable RTO to RTO and market to market congestion management to achieve greater efficiencies without calling TLRs; MISO and PJM and expansions to use same methods.	Definition of AFC coordination process between RTOs.		All	РЈМ	MISO	Market Rule / Business Practice	In PJM/MISO Congestion Management Proposal Whitepaper	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)		1	
35	Congestion Management	Congestion Management Market Coordination	Standardize Prices at Market Interfaces	LMP prices at borders of RTOs with markets (Price cap included)			RTO Market to RTO Market	All RTOs with market	All RTOs with market	Market Rule / Business Practice		Raj Rana - AEP	No	3	
68	Congestion Management	Congestion Management Market Coordination	Standardize Prices at Market Interfaces	Market Design - Prior to Day Ahead. Secondary Market	To the extent that at a minimum congestion redispatch occurs in an RTO (i.e. a limited energy market), can a method be developed to produce consistent prices at the boundaries? If not, can price discontinuities be tolerated or managed? (Issue I.b.1)					Fundamental approach financial hedging issue.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
70	Congestion Management	Congestion Management Market Coordination	Standardize Prices at Market Interfaces	Market Design - Day Ahead. Congestion Management Market	If models with identical levels of detail for the West are not used by all three RTOs, do the various simplifications for areas outside any given RTO create problems in achieving a uniform set of redispatch prices? (Issue I.b.3)					Modeling issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
72	Congestion Management	Congestion Management Market Coordination	Standardize Prices at Market Interfaces	Market Design - Day Ahead. Model spatial granularity	To the extent that at a minimum congestion redispatch occurs in an RTO (i.e. a limited energy market), can a method be developed to produce consistent day ahead prices at the boundaries? (Issue I.b.5)					Market issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
80	Congestion Management	Congestion Management Market Coordination	Standardize Prices at Market Interfaces	Market Design - Day Ahead. Other Scheduling Requirements	To the extent that at a minimum congestion redispatch occurs in an RTO (i.e. a limited energy market), can a method be developed to produce consistent prices at the boundaries that send the same signal to the market? If not, can price discontinuities be tolerated or managed? (Issue 1.b.13)					Financial approach scheduling issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
92	Congestion Management	Congestion Management Market Coordination	Standardize Prices at Market Interfaces	Market Design - Real Time. Model objective function	How much would a common dispatch interval mitigate against price discontinuities at boundaries? (Issue I.d.2)					Market issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
62	Congestion Management	Congestion Management Market Coordination		Market Design - Prior to Day Ahead. Financial or Physical	Must the offerings be identical? How can congestion management discontinuities be mitigated? (Issue I.a.3)					Fundamental approach financial hedging and scheduling issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
63	Congestion Management	Congestion Management Market Coordination		Market Design - Prior to Day Ahead. Option or Obligation	Do different CM models create barriers to trade, and if so, how can these differences be mitigated? (Issue I.a.4)					Fundamental approach financial hedging and scheduling issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No	Page 1	

Updated December 9, 2003

Orig #	Category	1ST Sub-Category	2ND Sub-Category	Description of Seam Issue	Comments	Assoc/ Notes	Seam Interface Type	Region 1	Region 2	Seam Impediment Type	Being Addressed ?	Submitter	Reference Papers	Priority	Resp Org
64	Congestion Management	Congestion Management Market Coordination		Market Design - Prior to Day Ahead. Revenue Stream/ or Offset CM Cost	Must the term of congestion offerings be identical? How can congestion management discontinuities be mitigated? (Issue I.a.5)					Fundamental approach financial hedging and scheduling issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
129	Congestion Management	Congestion Management Market Coordination		Selection process for market/TLR coordinated flowgates; inclusion of flowgates in PJM FTR/ARR auctions; flowgates with and without effective contrr by markets; updates to flowgate list, phase in; dispute resolution; let RTO calculate flows outside of IDC and TLR; audit rights confidentiality of data; consideration of flowgates outside PJM and MISO	impacted by an RTO.		All	РЈМ	MISO	Market Rule / Business Practice	In PJM/MISO Congestion Management Proposal Whitepaper	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	ſ	1	
138	Congestion Management	Congestion Management Market Coordination		Coordination of congestion	Several regional efforts are underway. Coordinate practices and methods between areas with different market approaches.		All	All	All	Business Practice	Yes	Karl Tammar - ISO/RTO Council	No		
125	Congestion Management	Determining Control Area Boundaries		Retention of former CAs in the model	When expanding Control Area boundaries (i.e., merging Control Areas) is it necessary to retain "Historic" boundaries for use in NNL estimation or other reasons?		All	PJM	MISO	Market Rule / Business Practice	In PJM/MISO Congestion Management Proposal Whitepaper	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	ŀ	3	
73	Congestion Management	Operate Markets Within Transmission Limits		Market Design - Day Ahead. Model objective function	Who coordinates the scheduling constraints (i.e., security constrained dispatch) on paths that cross RTO boundaries to ensure that inter- RTO schedules do not exceed reliability standards? (Issue I.b.6)					Modeling issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
130	Congestion Management	Operate Markets Within Transmission Limits		What happens when MISO and PJM and outside PJM/MISO firm and CBM exceed TTC - day ahead mechanism to reduce oversubscribed conditions			All	PJM	MISO	Market Rule / Business Practice	In PJM/MISO Congestion Management Proposal Whitepaper	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	J	2	
43	Congestion Management	Standardize and Coordinate ATC Calculations	Contract Tie Capacity Sharing	Allow Sharing Contract Tie Capacity between Entities across Seams	Lack of Coordination and Sharing of Tie Capacity is an artificial market barrier	27.1, 117, 141	All	All	All	Market Rule / Business Practice	Limited	Carl Monroe, Southwest Power Pool	No	?	
59	Congestion Management	Standardize and Coordinate ATC Calculations	Coordinate Hedging Instruments at Market Interfaces	Inter-control area congestion management / parallel flow management	Develop congestion hedges across control area boundaries.	36	RTO Market to RTO Market	ISO New England	NY ISO		Northeast ISO	Joe Rossignoli - National Grid	G		
44	Congestion Management	Standardize and Coordinate ATC Calculations	Standardize TRM and CBM Calculations	Calculation and Values of TRM and CBM consistent	Underutilization of Transmission Capacity		All	All	All	Market Rule / Business Practice	Limited	Carl Monroe, Southwest Power Pool	No	?	
17	Congestion Management	Standardize and Coordinate ATC Calculations and Postings	Reconcile ATC Calculations Between Physical and Financial Transmission Markets	TTC-ATC calculation/posting	Interface between a financial market (no physical transmission arrangements) and physical transmission regions (selling transmission capacity through OASIS reservations): Problems of TTC-ATC calculations coordination. Counterparties include IMO, NYISO, and ISO-NE.	18, 19 Consolidate	Other	HQ TransÉnergie	ISO's	Market Rule / Business Practice	No	Victor Bissonnette - HQ TransÉnergie	No		
61	Congestion Management	Standardize and Coordinate ATC Calculations and Postings	Reconcile ATC Calculations Between Physical and Financial Transmission Markets	Market Design - Prior to Day Ahead. Congestion Revenue Rights (CRRs) [Firm Transmission Rights (FTRs) in MD02, FTOs in RTO West]	Are all transmission rights both physical and financial required to be identical to mitigate the seams problems? (Issue #I.a.2)					Fundamental approach financial hedging and scheduling issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
9	Congestion Management	Standardize and Coordinate ATC Calculations and Postings		Transmission Calculations	Transmission calculations are not consistent. Solution: Standardized ATC Calculations.		All	Non-RTO Market	Non-RTO Market/ISO Market	Market Rule/Business Practice	Yes - SSG - WI	Steven Cobb - SRP	No		
55	Congestion Management	Standardize and Coordinate ATC Calculations and Postings		Improved TTC/ATC posting	Monthly and yearly posting of TTC/ATC values to support transaction pre-scheduling. Clarify how the ATC values calculated by each ISO should be used to ascertain the ability of the interface to support transactions.		RTO Market to RTO Market	ISO New England	NY ISO		Northeast ISO	Joe Rossignoli - National Grid	G		

Orig #	Category	1ST Sub-Category	2ND Sub-Category	Description of Seam Issue	Comments	Assoc/ Notes	Seam Interface Type	Region 1	Region 2	Seam Impediment Type	Currently Being Addressed ?	Submitter	Reference Papers	Priority	Resp Org
109	Congestion Management	Standardize and Coordinate ATC Calculations and Postings		ATC Differences - Individual control areas determine ATC for jointly operated transmission interfaces. Differences in ATC calculations can confuse the marketplace, which may react by avoiding transactions that would otherwise be economic due to the uncertainty and perceived risk.			Market to Market	PJM	ISO NE, NY ISO	Market Rule / Business Practice	In Northeast Power Markets Seams Action Plan	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	н	3	
116	Congestion Management	Standardize and Coordinate ATC Calculations and Postings		ATC/AFC Coordination - MISO and PJM to coordinate with any external parties wishing to do so, respecting all significant flowgates external to their respective boundaries; availability and levels of service and curtailments for firm and non- firm, network and point to point.			All	PJM	MISO	Market Rule / Business Practice	In PJM/MISO Congestion Management Proposal Whitepaper	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	Νο	2	
20	Congestion Management	Standardize TCC Calculations Across Interfaces		TTC coordination	Disagreement between two operators on the physical capability of an interconnection (line 7040 and Phase II). Counterparties are NYiso and ISO-NE.	21 Consolidate	Other	HQ TransÉnergie	NYiso	Market Rule / Business Practice	Yes	Victor Bissonnette - HQ TransÉnergie	No	_	NERC
69	Congestion Management	System Market Modeling Coordination	Standardize Prices at Market Interfaces	Market Design - Day Ahead. Energy Spot Market	In order to achieve a uniform set of redispatch prices, if that is necessary, do the network models have to be identical, with the exact system? Each time each one is used does it have to be synchronized with the other RTOs or is a single process required? In addition do the programs that use the models have to be identical in order to get the uniform set of redispatch prices? (Issue I.b.2)					Market issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	Νο		
47	Congestion Management	System Market Modeling Coordination		Operational Model Updates	Areas must have up to date models for operational use of other areas across the seam		All	All	All	Physical	Limited	Carl Monroe, Southwest Power Pool	No	?	
75	Congestion Management	System Market Modeling Coordination		Market Design - Day Ahead. Model objective function	Does the use of both AC and DC OPFs introduce compatibility problems? (Issue I.b.8)					Modeling issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
121	Congestion Management	System Market Modeling Coordination		Market flow data - reflect ISN and SDX data	Standardize inputs to estimation of power flows (i.e., GLDFs, outages, etc).		All	PJM	MISO	Market Rule / Business Practice	In PJM/MISO Congestion Management Proposal Whitepaper	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	J	3	
123	Congestion Management	System Market Modeling Coordination		GDLF calculation	Standardized methodology for determining distribution factors - standard OPF model for each interconnection?		All	PJM	MISO	Market Rule / Business Practice	In PJM/MISO Congestion Management Proposal Whitepaper	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	J	?	
135	Congestion Management	System Market Modeling Coordination		Historic NNL values should not be reflected indefinitely in the future, and an appropriate mechanism to rationalize the historic flows to recognize eventual marke conditions should be developed			All	PJM	MISO	Market Rule / Business Practice	In PJM/MISO Congestion Management Proposal Whitepaper	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	J	2	
133	Congestion Management	Transmission Market Design	Redispatch of Generation	Define "RTO area wide dispatch"	AJR - This refers to centralized dispatch across a RTO Footprint, rather than within a CA Boundary.		All	РЈМ	MISO	Market Rule / Business Practice	In PJM/MISO Congestion Management Proposal Whitepaper	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	J	1	

**1ST Sub-Category** 

2ND Sub-Category

Description of Seam Issue

Orig # Category

110

53

88

98

90

91

93

131

113

96

97

Comments

Congestion Management Transmission Market Design Transmission Market Mani	ATC Manipulation - Market participants schedule transactions day-ahead and beyond with no intent to deliver energy. Cancellation in real-time by a market participant results in unused ATC, ramp capability that cannot be used by other market participants. Valuable capability				ļ		ļ					1	
Congesting	capability that cannot be used by other			1 1	1	1 '	1		L. ( Muelles	1		,	ļ
Connection Transmission Service Proc	left unused.			Market to Market	PJM	ISO NE, NY ISO	Y Market Rule / Business Practice	In Northeast Power Markets Seams Action Plan	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	н	3		ļ
Management Transmission Market Design Priority	ct Type CAISO ETC rights scheduling - Contract Reference Number	CAISO uses Contract Numbers to track ETC trights. This causes Phantom Congestion and does not allow ETC rights holders to sell and schedule their transmission	14, 16, 94, 95, 141, 142	CAISO Market to Non CAISO market	Non ISO market	CAISO market	Market rule/Business practice/ CAISO t software	No	Robert D. Schwermann - SMUD	No			
Congestion Management Transmission Market Design Transmission Service Proc	ct Type Market Design - Day Ahead. Centralized Unit Commitment.	Does a recallable physical right conflict with a redispatch set in a day-ahead clearing process? (Issue I.b.21)			1		Other issues.	SSG-WI, CMA Work Group		No			ļ
Market Design Energy Market Design and Coordination Coordination	t Market Design - Post Real Time. Settlement stages	How does bidding or demand-side response between or among RTO's affect the scheduling and dispatch of obligations within the RTO's? Can these kinds of trades between RTOs be accommodated? Does trade of these services between RTOs have implications for either the exporting or importing RTOs ability to meet reliability criteria? (Title to power needs to be established) (Issue II).					Market issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No			
Market Design Energy Market Design and Coordination Hour Ahead & Real-Time I Coordination Across Market		How does hour-ahead market integrate with neighbors who do not have hour-ahead process? (Issue I.c.2)		I			Market issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No			ļ
Market Design Energy Market Design and Coordination Hour Ahead & Real-Time I Coordination Across Market		Is it necessary to align real time markets? If so, can a method be developed to produce					Other issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No			
Market Design Energy Market Design and Coordination Hour Ahead & Real-Time t Coordination Across Market		Can a method be developed to produce consistent real-time prices at the boundaries? (avoid an price discontinuity due to separate calculation of prices with different information.) If not, can discontinuities be tolerated or managed? [This may be more of a settlements issue than a consistency issue.] (Issue I.d.3)					Market issues.	SSG-WI, CMA Work Group		No			
1 Market Design Energy Market Design and Coordination	Express sunset provisions for implementation of Day 2 markets			All	PJM	MISO	Market Rule / Business Practice	In PJM/MISO Congestion Management Proposal Whitepaper	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	J	1		
3 Market Design Green Power Market	Green power attributes trading			Market to Market	PJM	ISO NE, NY ISO	Y Market Rule / Business Practice	In Northeast Power Markets Seams Action Plan		No	3		
Market Design Market Settlement Systems Energy Market Settlement Market Interfaces	rocess at Market Design - Real Time. Penalties	Do settlement systems have to be common as long as price discontinuities at the boundaries are managed? (Issue I.e.1)					Other issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No			
Market Design Market Settlement Systems Energy Market Settlement Market Interfaces	rocess at Market Design - Post Real Time. Settlement stages	How are inter-RTO settlements managed? (Includes the revenue adequacy issues related to achieving consistent prices.) (Issue I.e.2)		1		Ţ		SSG-WI, CMA	Syd Berwager -				

Assoc/

Notes

Seam

Interface Type

Priority

Resp

Org

Reference

Papers

Submitter

Currently

Region 1 Region 2 Impediment Type Addressed ?

Orig #	Category	1ST Sub-Category	2ND Sub-Category	Description of Seam Issue	Comments	Assoc/ Notes	Seam Interface Type	Region 1	Region 2	Seam Impediment Type	Currently Being Addressed ?	Submitter	Reference Papers	Priority	Resp Org
86	Market Design	Transmission Ancillary Service Market Design and Coordination	Ancillary Service Auction Coordination	Market Design - Day Ahead. Ancillary Service Market	All three propose auctions: Do the auctions have be identical? Is it possible to use price exchange (say as imputed bids) in connection with interactive calculation to minimize the spread between the A/S auctions? (Issue I.b.19)					Other issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
81	Market Design	Transmission Ancillary Service Market Design and Coordination	Ancillary Service Prices at Market Interfaces	Market Design - Day Ahead. Congestion Prices.	Can a "best practice" model for definition and acquisition of ancillary services products be developed to produce consistent prices at the RTO boundaries? (Issue I.b.14)					Market issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
16	Market Design	Transmission Ancillary Service Market Design and Coordination	Reactive Power Compensation	Compensation for Reactive Power	Lack of compensation lessens incentives for operators to solve problems and for accountants to spend money on metering.	14, 141, 142, Split - Trans/Gen	All	All	All	Market Rule / Business Practice and Physical	Yes / IIPTF	Mark Lively - Lively Utility	A - C	1	NAESB IIPTF
85	Market Design	Transmission Ancillary Service Market Design and Coordination	Transmission Service Requirements for Ancillary Service Delivery	Market Design - Day Ahead. Ancillary Service Market	Does the RTO of the A/S seller recognize the transmission capacity reservation required to enable the reserves to respond for outages in the RTO of the buyer? (Issue I.b.18)					Other issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
74	Market Design	Transmission Ancillary Service Market Design and Coordination		Market Design - Day Ahead. Model objective function	What is the effect of linking energy and ancillary service markets in the optimizations on model coordination issues? (Issue I.b.7)					Financial approach scheduling issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
83	Market Design	Transmission Ancillary Service Market Design and Coordination		Market Design - Day Ahead. Ancillary Service Market	When ancillary services are provided from within one RTO for another RTO, does the providing RTO recognize them as obligations within the seller's RTO? (Issue I.b.16)					Fundamental approach scheduling issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
84	Market Design	Transmission Ancillary Service Market Design and Coordination		Market Design - Day Ahead. Ancillary Service Market	How can AS bids be coordinated across three markets to avoid both double counting and inefficient limitations on bids? (Issue I.b.17)					Other issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
87	Market Design	Unit Commitment Procedure Standardization		Market Design - Day Ahead. Acquisition Mechanism	Does unit commitment need to be standardized? Is this an area where each RTO can have its own method, which matches its resource mix and system responsiveness? (Rapid response of hydro gen. versus lead time requirements for thermal gen.) (Issue I.b.20)					Other issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
13	Market Design	Unscheduled/Parallel Path Flow Management	Compensation for Unscheduled/Parallel Path Flow	Compensation for Unscheduled Flows of Electricity	Lack of compensation lessens incentives for operators to solve problems and for accountants to spend money on metering.	14, 16	All	All	All	Market Rule / Business Practice and Physical	Yes / IIPTF	Mark Lively - Lively Utility	A - C	1	
15	Market Design	Unscheduled/Parallel Path Flow Management	Compensation for Unscheduled/Parallel Path Flow	Compensation for Loop Flow	Lack of compensation lessens incentives for operators to solve problems and for accountants to spend money on metering.	14, 16	All	All	All	Market Rule / Business Practice and Physical	Yes / IIPTF	Mark Lively - Lively Utility	A - C	1	
29	Market Design	Unscheduled/Parallel Path Flow Management	Compensation for Unscheduled/Parallel Path Flow	Allocation of transmission capacity on reciprocal flow gates amounts to transmission service without compensation. Legitimizes "parallel loop flow".		14, 16, 43, 117, 141	RTO Market to RTO Market	MISO	PJM	Market Rule / Business Practice		Dave Nick - DTE Energy	E		
66	Market Design	Unscheduled/Parallel Path Flow Management	Compensation for Unscheduled/Parallel Path Flow	Market Design - Prior to Day Ahead. Duration	How will rights for loop flows (non-contract flows) in other RTOs be allocated/acquired? (Issue I.a.7)					Fundamental approach financial hedging issue.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
134	Market Design	Unscheduled/Parallel Path Flow Management	Compensation for Unscheduled/Parallel Path Flow	Compensation for parallel flows			All	РЈМ	MISO	Market Rule / Business Practice	In PJM/MISO Congestion Management Proposal Whitepaper	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	 . [	2	
142	Market Design	Unscheduled/Parallel Path Flow Management	Compensation for Unscheduled/Parallel Path Flow	Pricing for native load loop flow impacts		14, 16, 94, 95		Eastern Inter- connection	Eastern Inter- connection	Business Practice	No	Ed Davis - Entergy	No		

## Seams Issues Matrix (As approved by WEQ EC on December 9, 2003)

Orig #	Category	1ST Sub-Category	2ND Sub-Category	Description of Seam Issue	Comments	Assoc/ Notes	Seam Interface Type	Region 1	Region 2	Seam Impediment Type	Currently Being Addressed ?	Submitter	Reference Papers	Priority	Resp Org
77	Market Monitoring/ Compliance	Anti-Gaming Coordination		Market Design - Day Ahead. Schedule Components	Will different RTO congestion management systems enhance opportunities for gaming or affect generation dispatch efficiency? (Issue I.b.10)					Financial approach scheduling issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
11	Market Monitoring/ Compliance	Market Monitoring Entity Requirements		Market Oversight	New and mature markets need oversight to ensure that existing rules are complied with and new rules are adequate in meeting the scenarios they were designed to govern. Solution: Independent Market Auditor or Monitor.	Hold	All	Non-RTO Market/ISO Market	Non-RTO Market/ISO Market	Market Rule/Business Practice	Yes - SSG - WI	Steven Cobb - SRP	No		
94	Market Monitoring/ Compliance	Penalty/Sanction Coordination		Market Design - Real Time. Imbalance Price	Do penalties need to be the same in each RTO? (Issue I.d.4)	14, 16				Market issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
95	Market Monitoring/ Compliance	Penalty/Sanction Coordination		Market Design - Real Time. Penalties	Will inconsistent imbalance penalty practices hamper non-dispatchable resource sales across RTO boundaries? (Issue I.d.5)	14, 16				Other issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
3	Market Standards	Energy Market Standard Product Definitions		Definition & treatment of Firm/nonfirm Power	Annual Plan Item 4ci moved from MOS		All	All	All	Market Rule / Business Practice	No	Lou Oberski - Dominion Energy	No		
10	Market Standards	Energy Market Standard Product Definitions		Energy Products	Entities have disagreements concerning the definitions of various energy products. Solution: Standardized Energy Products.	25, 34, 111, 139	All	Non-RTO Market	Non-RTO Market/ISO Market	Market Rule/Business Practice	Yes - WECC	Steven Cobb -	No		
25	Market	Energy Market Standard Product		Need for common physical market and	Boldion. Blandardized Energy Products.	10, 34, 111, 139	All	All	All	Market Rule / Business Practice	No	Linda Horn - WE		1	
34	Standards Market	Definitions Energy Market Standard Product		products - regional variations permitted Clarification of Product Definitions	Complete/Standard definitions for Liquidated	10, 25, 111,				Market Rule /		Energies Tony Reed -	No	1	
34	Standards	Definitions			Damages (LD), "Into", etc. Energy products and services have common	139	All	All	All	Business Practice	No	Southern	No		-
139	Market Standards	Energy Market Standard Product Definitions		Standard definition of energy products	attributes in all markets. Standards definitions will improve efficiencies in communicating and operating between areas with various market designs	10, 25, 34, 111	All	All	All	Business Practice	Yes	Karl Tammar - ISO/RTO Council	No		
7	Market Standards	Market Standard Communication Protocols and Transparency		Market Price Information	Market pricing methodology not comprehensive, consistent or dependable. Solution: Standardized Indices, Independently Managed.		Non-RTO Mkt to Non-RTO Mkt	Non-RTO Market	Non-RTO Market	Market Rule/Business Practice	No	Steven Cobb - SRP	No		
42	Market Standards	Market Standard Communication Protocols and Transparency		Data Visibility	Inability to view neighboring markets information through a common software such that this sometimes hinders Market Participants ability to complete business in a timely fashion.		All	NYISO	RTO	Market Rule / Business Rule	Yes	Marjorie Perlman - Energy East	No		
52	Market	Market Standard Communication		Confidentiality of Data and Information	Standards of Confidentiality would enhance the capability to resolve data sharing and					Market Rule /		Carl Monroe, Southwest			
	Standards	Protocols and Transparency		Shared	information posting	42	All	All	All	Business Practice	Limited	Power Pool	No	?	
71	Market Standards	Market Standard Communication Protocols and Transparency		Market Design - Day Ahead. Model spatial granularity	To what extent do RTOs need to see other RTOs' scheduling information? (Issue I.b.4)					Modeling issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
140	Market Standards	Market Standard Communication Protocols and Transparency		Standard messaging protocols for market notifications			All	All	All	Business Practice	No	Karl Tammar - ISO/RTO Council	No		
136	Market Standards	Market Standard Operating Time		Inconsistent Market Event Timelines	ATC postings between a physical reservation system and a financial reservation system. There is a disconnect between the timing of bids and offers in the Ontario market and the releasing of firm transmission in MISO for which schedules have not been submitted for use as non-firm transmission.		RTO Market to RTO Market	NPCC	ECAR	Market Rule / Business Practice	No	Barry Green - Ontario Power Gen.	No		
1	Market	Market Standard Operating Time		Non Standard Time Zone	The lack of a standard Time Zone causes		All		All	Market Rule /				1	
137	Standards Market Standards	Market Standard Operating Time		Inconsistent Market Event Timelines	Market Inefficiencies Timing issues between bid based markets (one example only - not knowing whether your bid has been accepted in "sink" market before having to commit in the "source" market).		All RTO Market to RTO Market	All	NYISO	Business Practice	No	Phil Cox - AEP Barry Green - Ontario Power Gen.	No		

Orig #	Category	1ST Sub-Category	2ND Sub-Category	Description of Seam Issue	Comments	Assoc/ Notes	Seam Interface Type	Region 1	Region 2	Seam Impediment Type	Currently Being Addressed ?	Submitter	Reference Papers	Priority	Resp Org
14	Market Standards	Physical and/or Financial Resolution of Inadvertent Interchange		Compensation for Inadvertent Interchange	Lack of compensation lessens incentives for operators to solve problems. Explicit compensation for inadvertent interchange is necessary for appropriate definition of other products, in that such compensation ensures that the defined product is delivered.	16, 53, 94, 95, 141, 142	All	All	All	Market Rule / Business Practice and Physical	Yes / IIPTF	Mark Lively - Lively Utility	A-C	1	NAESB IIPTF
111	Market Standards	Transmission Ancillary Service Market Design and Coordination	ICAP Market Standardization	Capacity Market - Differences in ICAP definitions, requirements, deliverability, and recall procedures have hampered the ability of suppliers to sell ICAP between Northeast ISOS (include regional resource adequacy model, external 30-minute reserves participation, harmonize demand response programs)		10, 25, 34, 139	Market to Market	РЈМ	ISO NE, N ISO	Y Market Rule / Business Practice	In Northeast Power Markets Seams Action Plan	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	н	3	
46	Planning	Transmission Expansion and Generator Interconnection Coordination	Generator Interconnection - Affected Systems	Generation Interconnection Studies	Generation Interconnections close to seam affects both areas							Carl Monroe, Southwest			FERC
57	Planning	Transmission Expansion and Generator Interconnection Coordination	Generator Interconnection Transmission Requirements	Transmission interconnection procedures	Need consistent approach to treating merchant generation interconnection procedures with transmission	114, 57 46, 114	All RTO Market to RTO Market	All ISO New England	All NY ISO	Physical	Limited Northeast ISO	Power Pool Joe Rossignoli - National Grid	No G	?	FERC
114	Planning	Transmission Expansion and Generator Interconnection Coordination	Interregional Transmission Planning Procedures	Coordination of interregional planning including transmission facilities and generator interconnection procedures			Market to Market	PJM	ISO NE, N ISO	Y Market Rule / Business Practice	In Northeast Power Markets Seams Action Plan	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	н	1	FERC
26	Planning	Transmission Expansion and Generator Interconnection Coordination	Transmission Expansion Cost and Construction Responsibilities	Transmission expansion planning - coordination between systems and determine who is obligated to build and pay for improvements	Being reviewed by PJM/MISO.		All	All	All	Market Rule / Business Practice	Yes	Linda Horn - WE Energies	No	1	FERC
48	System Reliability	Emergency Operations	Computer Failures	Communication of Computer Failures	Needed for reliable operations and emergency operations		All	All	All	Physical	Limited	Carl Monroe, Southwest Power Pool	No	2	NERC
49	System Reliability	Emergency Operations	Emergency Operating Procedures for Market Interfaces	Emergency Procedures	Emergency procedures require operations across seams	118	All	All	All	Physical	Limited	Carl Monroe, Southwest Power Pool	No	?	NERC
128	System Reliability	Emergency Operations	System Monitoring and Contingency Plans	Contingency plans; critical path analysis		14, 16	All	PJM	MISO	Market Rule / Business Practice	In PJM/MISO Congestion Management Proposal Whitepaper	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	J	2	NERC
118	System Reliability	Emergency Operations	System Restoration Procedures	Emergency and Restoration Plans - operating procedures for Voltage Collapse and Stability		46	All	PJM	MISO	Market Rule / Business Practice	Included in Attachment A of MISO and PJM Reliability Plans	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	I	2	NERC
122	System Reliability	Functional Model		Control area - control zone responsibilities vs. market operator			All	PJM	MISO	Market Rule / Business Practice	In PJM/MISO Congestion Management Proposal Whitepaper	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	J	1	NERC
50	System Reliability	Generation-Load Balance	Interchange Schedule Ramping Requirements	Schedule Ramp Management	Ramping standard differences across the seams hinder business	108	All	All	All	Market Rule / Business Practice	Limited	Carl Monroe, Southwest Power Pool	No	2	NERC
108	System Reliability	Generation-Load Balance	Interchange Schedule Ramping Requirements	Failure of Transactions due to Ramping of Control Area Interchange - Desirable transactions between control areas may be "blocked" from access to the grid due to insufficient dispatch capacity to absorb large schedule changes while maintaining energy/load balance within the control area.			Market to Market	PJM	ISO NE, N ISO		In Northeast Power Markets Seams Action Plan	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	н	2 Page	

Updated December 9, 2003

Page 7

**1ST Sub-Category** 

2ND Sub-Category

Description of Seam Issue

Orig # Category

51

27

45

120

30

99

100

119

82

107

Comments

Assoc/

Seam

Notes Interface Type

production         Description         Description <thdescription< th=""> <thdescription< th=""></thdescription<></thdescription<>																
Relative Particular definition Particular def		System					May need to						Carl Monroe,			
Image: Market and this Market Purify Relation         Image: Market and Relation         Image: Relation         Image: Relation <thi< td=""><td></td><td></td><td>Generation-Load Balance</td><td>Inter-Market Resource Requirements</td><td>Resource Adequacy</td><td></td><td></td><td></td><td></td><td></td><td><b>D</b></td><td></td><td>Southwest</td><td></td><td>2</td><td>NERC</td></thi<>			Generation-Load Balance	Inter-Market Resource Requirements	Resource Adequacy						<b>D</b>		Southwest		2	NERC
$\frac{1}{2}$		,					subdivided, 5	All	All	All	Physical	Limited	Power Pool	No	?	
Posterial         Outgoing Mathematics         Site approximation         Site approxima																
Matrix         Dublig and matrix         Constraint         And and an approximation of a proper function of a proper functin a difference a material proper functin a difference a material p		System	Inter-Market and Intra-Market Facility		Outage Maintenance Coordination											
Image: mark and the state of third Aubert Facing Barbare multiple and Maintenance Coordination Maintenance Coordination Maintenance Coordination Maintenance Coordination Maintenance Coordination Maintenance Coordination Maintenance Coordination Maintenance Coordination Maintenance Coordination Maintenance		Reliability	Outage and Maintenance Coordination		Outage Maintenance Coordination		45 (was				Market Pule /		Linda Horn - WE			
Specime         Inter-Motion and Transmission         Control on the maximum of the m								All	A II	A II		Voc	Energies	D	?	
Notice         Outgoe and Mandemance Coordination         Operation         Operation         Part Mandemance Coordination         And         And         And         Part Mandemance Coordination           0         Statemant         Constrained Mandemance Coordination         Constrained Mandemance Coordination         Constrained Mandemance Coordination         Constrained Mandemance Coordination         Mandemance Coordination <td></td> <td></td> <td></td> <td></td> <td></td> <td>subcommittee July 8 date</td> <td>#21.3)</td> <td>All</td> <td>All</td> <td>All</td> <td>Dusiness Flactice</td> <td>165</td> <td>Carl Monroe.</td> <td>D</td> <td>1</td> <td></td>						subcommittee July 8 date	#21.3)	All	All	All	Dusiness Flactice	165	Carl Monroe.	D	1	
Printed         Operating         Operating Reserves/Resource Adequary         Ensure and Response         Participation         Printed         Printed <th< td=""><td></td><td></td><td></td><td></td><td></td><td>Both forced and planned outages</td><td></td><td></td><td></td><td></td><td></td><td></td><td>Southwest</td><td></td><td></td><td>NERC</td></th<>						Both forced and planned outages							Southwest			NERC
Bystem Relation         Inter-Market and Intro-Market Faship Unlige and Manterinance Coordination         Examine in does anticul priority used allowers and egreenting particular in the market faship (market Rule / Relation)         Examine in does anticular priority used allowers         Inter-Market and (market Rule / Rule Rule		Reliability	Outage and Maintenance Coordination		Generation Outages	both forced and planned outages	27.5	All	ΔII	All	Physical	Limited	Power Pool	No	2	NEIKO
Description     Desc	-						21.0	7 (11	7 00	7 41	Thyolodi		1 01001 1 001	110		
0     0 <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Jeff Mueller</td> <td></td> <td></td> <td></td>						1							Jeff Mueller			
Protection         Outling and Monthmistric Contraination         Contraination         Mander Rule / Propisation         Mander Rule / Pr													(PSEG), and			NERC
Image: Control in the state of the		Reliability	Outage and Maintenance Coordination								Market Rule /		Andy Rodriguez			
System Relation Units         Operating Reserves/Resource Adequady         Energy and Reactive Capacity Reserves Requirements         Market Intractions over Two glies are opport/ subscription of capacity requirement for all proportions are in PTO capacity requirement for all proportions are interproportion are in PTO capacity and Resorce Adequary Relativity Constraints - NERC Proportion are interproportion are in PTO capacity constrained digatch requirements         Interproportion are interproportion proportions are interproportion are interproportion are interproportion are interproportion are interproportion and proportion are interproportion are interproportion are interproproportion are interproportion are interproportion a					planning			All	PJM	MISO			(PJM)	J	1	
by         System         Operating Markets Within Transmission         Interse Practice Interse Residuality         System         Operating Markets Within Transmission         Market Rule         PA         Market Rule <t< td=""><td></td><td></td><td></td><td></td><td>Market allocations over flow gates are</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-</td><td></td><td></td></t<>					Market allocations over flow gates are									-		
Network     Linkis     Linkis     Comparing Reserves/Resource Adequary     Result Reserves/Resource Adequary     Resource Adquary		System	Operate Markets Within Transmission													
Image: Control in the second			Limits					RTO Market to			Market Rule /		Dave Nick - DTE			NERC
System Reliability         Operating Reserves/Resource Adequacy         Energy and Reactive Capacity Reserve Requirements         Demand Response Puricipation         If there is an RTO capacity requirement for all the avoided P Mole. RTO West and West-Concurs at our contrarely proposing a the avoided P Mole. RTO West and West-Concurs at our contrarely proposing a the avoided P Mole. RTO West and West-Concurs at our contrarely proposing a the avoided P Mole. RTO West and West-Concurs at our contrarely proposing a the avoided P Mole. RTO West and West-Concurs at our contrarely proposing a the avoided P Mole. RTO West and West-Concurs at our contrarely proposing a the avoided P Mole. RTO West and West-Concurs at our contrarely proposing a the avoided P Mole. RTO West and West-Concurs at our contrarely proposing a the avoided P Mole. RTO West and West-Concurs at our contrarely proposing a the avoided P Mole. RTO West and West-Concurs at our contrarely proposing a the avoided P Mole. RTO West and West-Concurs at our contrarely proposing a the avoided P Mole. RTO West and P Mole. Society of the avoid P Mole. RTO West and P Mole. Society of the avoid P Mole. RTO West and P Mole. Resource Adequacy. Proposing at the avoid P Mole. RTO West and P Mole. Resource Adequacy. Proposing at the avoid P Mole. RTO West and P Mole. Resource Adequacy. Proposing at the avoid P Mole. RTO West and P Mole. Resource Adequacy. P Mole Resource Adequacy. P Mole Resource Adequacy. P P Mole Resource Adequacy. P P Mole Resource Adequacy. P P Mole Resource Adequacy. P Resource Adequacy. P P Mole Resource Resource Adequacy. P P Mole Resource Resource Adequacy. P P Mole Resource Resource Adequacy. P Resource Resource Adequacy. P P Mole Resource Resource Adequacy. P Mole Resource Resource Adequacy. P P Mole Resource Resource Adequacy. P P Mole Resource Resource Adequacy. P P Mole Resource Resource Adequacy. P Mole Resource Resource Adequacy. P Mole Resource Resource Adequacy. P Mole Resou		,						RTO Market	MISO	PJM	Business Practice		Energy	E		
System Reliability         Operating Reserves/Resource Adequase         Energy and Reactive Capacity Reserve Requirements         Demand Response Participation.         BTOS. In own if outble counting parces RTOs eacided? Mex. TO West and MexaConnect are not currently propering theread as adequary requirement in obtained a model. (Now X-1)         Image: Counting theread as adequary requirement theread as adequary requirement in obtained a model. (Now X-1)         Image: Counting theread as adequary requirement in obtained a model. (Now X-1)         Image: Counting theread as adequary requirement in obtained a model. (Now X-1)         Image: Counting theread as adequary requirement in obtained a model. (Now X-1)         Image: Counting theread as adequary requirement in obtained a model. (Now X-1)         Image: Counting theread as adequary requirement in obtained a model. (Now X-1)         Image: Counting theread as adequary requirement in obtained a model. (Now X-1)         Image: Counting theread as adequary requirement in obtained a model. (Now X-1)         Image: Counting theread as adequary requirement in dependent of theread as adequary requirement in dependent of theread as adequary requirement in dependent of theread as adequary requirement in dependent of the requirem						If there is an RTO capacity requirement for all		1								
by     System     Operating Reserves/Resource Adequacy     Energy and Reactive Capacity Reserves     Demand Response Participation.     be avoided? Note: RTO Vest and vestor/popular a resource adequacy requirement independent of the requirement to balance disturbuists. (Issue Artice adequacy requirement independent of the requirement to balance disturbuists.) (Issue Artice adequacy requirement for all for requirements for all for requirements for all for requirements for all for requirements for all for resource adequacy requirements for all for resource adequacy requirements for all for resource adequacy. Resource Adequacy Age, approaches result in different penalty structures and for a determines. (Issue Artice adequacy approaches result in different penalty structures approaches result in different penalty structures are addressed. (Issue X2).     Vest Resource Adequacy Assessment for all for Adequacy Resource Adequacy Assessment.     NERC Regional Criteria and Resource Adequacy Assessment for all for Adequacy Resource Adequacy Assessment.     NERC Regional Criteria and Resource Adequacy Assessment for all for Adequacy Resource Adequacy Assessment.     NERC Regional Criteria and Resource Adequacy Assessment for all for Adequacy Assessment for all for Adequacy Assessment for all for Adequacy Resource Adequacy Assessment.     Nerce Resource Adequacy Assessment for Adequacy Assessment for all for Adequacy Resource Adequacy Assessment.     Nerce Resource Adequacy Assessment for Adequacy Assessment for Adequacy Assessment for all for Adequacy Assessment for all for Addet Assessment for Adequacy Assessment for all for Addet Assessment for all for Addet Assessment for Adequacy Assessment for Adequacy Assessment for Adequacy Assessment for Addet																
Reliability       Operating Reserves/Resource Adequary       Requirements       Definition Response Prancipation       metabolity are not contraining properties and are not contraining properity and are not contraining properties and are not contraining properties		Pueter		Energy and Reactive Consoity Deserve												
B     P <td></td> <td></td> <td>Operating Reserves/Resource Adequacy</td> <td></td> <td>Demand Response Participation.</td> <td>WestConnect are not currently proposing a</td> <td></td>			Operating Reserves/Resource Adequacy		Demand Response Participation.	WestConnect are not currently proposing a										
Image: system provide in the system of the system provide state in the system system provide state in the system in the system system provide state in the system system provide state in the system system provide state in the system system system system in the system syste		Reliability		Requirements		resource adequacy requirement independent of										
9         System Reliability         Operating Reserves/Resource Adequory         Energy and Reactive Capacity Reserve Requirements         Resource Adequory Requirements         Resource Adequory Requirements         Resource Adequory Requirements         Resource Adequory Requirements         Net CR Resource Adequory Requirements         Net CR Resource Adequory Resource Adequory Resource Adequory         Net CR Resource Adequory Resource Adequory Resoure Adequory Resoure Adequory Resource Adequory Resou						the requirement for balanced schedules. (Issue						SSG-WI, CMA	Syd Berwager -			
by stem     System     Operating Reserves/Resource Adequacy     Energy and Reactive Capacity Reserve     Resource Adequacy     RTOS, do different resource adequacy     Set						X.1).					Other issues.	Work Group	Bonneville PA	No		
0       System       Operating Reserves/Resource Adequacy       Energy and Reactive Capacity Reserves/Resource Adequacy. Resource Adequacy. Resou						If there is an RTO capacity requirement for all										
0       System Reliability       0       perating Reserves/Resource Adequacy Resource Adequacy       Resource Adequacy Resource Adequacy       not fiss, does this create problems, e.g., and if so, does this create create probl						RTOs, do different resource adequacy										
0       Netletity       Operating Reserves/Resource Adequacy       Energy and Reactive Lapacity Reserves/Resource Adequacy       Resource Adequacy       Resource Adequacy       Resource Adequacy       Resource Adequacy       Resource Adequacy       Resource Adequacy       SSG-WI, CMA         9       System       Operating Reserves/Resource Adequacy       Energy and Reactive Capacity Reserve       NERC Regional Citeria and Reserve       North Capacity       Nort						approaches result in different penalty structures										
0       Reliability       Operating Reserves/Resource Adequety       Requirements       Assessment.       Assessment.       Operating Reserves/Resource Adequety       Other issues.       SSG-WI, CMA         g       System       Operating Reserves/Resource Adequety       Energy and Reactive Capacity Reserves       NERC Regional Criteria and Reserve       Shaing - define operating policy changes, works, or certifications that are needed to employ the requirement for balanced schedules. (Issue       Other issues.       In PJMMISO Cooperating Reserves/Resource Adequety       Reliability Aspects of Inter-Market       Market Design - Day Ahead. Ancillary       All       PJM       MISO       Market Rule / Proposal       Wintepaper         2       System       Operating Reserves/Resource Adequety       Reliability Aspects of Inter-Market       Market Design - Day Ahead. Ancillary       Market Design - Day Ahead. Ancillary       Fransaction Curtaliment - Transaction Curtaliment - Transaction Curtaliment - Transaction Curtaliment etering or security and terms of due to differences in market timing Criteria? (Issue Ib.15)       In Northeast       In Northeast		Pueter		Energy and Reportive Conneity Reports	Resource Adequeey, Resource Adequeey,	and if so, does this create problems, e.g.,										
and WestConnect are not currently proposing a requirement independent of the requirement for balanced schedules. (Issue       and WestConnect are not currently proposing a requirement independent of the requirement for balanced schedules. (Issue       and WestConnect are not currently proposing a requirement independent of the requirement for balanced schedules. (Issue       and WestConnect are not currently proposing a requirement independent of the requirement for balanced schedules. (Issue       and WestConnect are not currently proposing a requirement independent of the requirement for balanced schedules. (Issue       and WestConnect are not currently proposing a requirement issue.       Other issues.       Work Group         g       System       Operating Reserves/Resource Adequary       Energy and Reactive Capacity Reserve       NERC Regional Criteria and Reserve schedules. (Issue       All       PJM       MiSO       Market Rule / Mork Group         g       System       Operating Reserves/Resource Adequary       Reliability Coordination - NERC Policies 5       how does bidding of ancillary services between or arong RTOs affect the scheduling and dispact holigiations within the RTOS? Can this kind of trade between RTOs have implications for either the responsible holigiation within the RTOS act the scheduling or and shart holigiation within the RTOS?       Market Reliability Aspects of Inter-Market Service Market       Service Market Proposal       Market Issues.       Work Group         r       System       Operating Reserves/Resource Adequary       Reliability Aspects of Inter-Market Service Market Issues.       Market Design - Day Ahead. Ancillary	)	Dystern	Operating Reserves/Resource Adequacy			opportunities for arbitrage? Note: RTO West										NERC
Image: serves/Resource Adequacy       Reliability       NERC Regional Citeria and Reserves (Nerce Requirements)       NERC Regional Citeria and Reserves (Nerce Requirements)       NERC Regional Citeria and Reserves (Nerce Requirements)       NERC Regional Citeria and Reserves (Nerce Nerce		Reliability		Requirements	Assessment.	and WestConnect are not currently proposing a										
Image: market line     Image: market line     Market line     NERC Regional Criteria and Reserve Sharing - define operating policy changes, waivers, or cartifications that are needed to permit security-constrained dispatch allow more multiple existing control areas to allow more not be tagged. Joint Reliability Coordination - NERC Policies 5 and 9     NERC Regional Criteria and Reserve swaivers, or cartifications that are needed to permit security-constrained dispatch allow more not be tagged. Joint Reliability Coordination - NERC Policies 5 and 9     NERC Regional Criteria and Reserve swaivers, or cartifications that are needed to permit security-constrained dispatch allow more not be tagged. Joint Reliability Coordination - NERC Policies 5 and 9     Nerce Network area medded to permit security-constrained dispatch allow more not be tagged. Joint Reliability Coordination - NERC Policies 5 and 9     Nerce Network area medded to permit security-constrained dispatch allow more not be tagged. Joint Reliability Coordination - NERC Policies 5 and 9     How does bidding of ancillary services between or among RTOs affect the scheduling and dispatch obligations within the RTOs? Can this kind of trade between RTOs have implications for either the "exporting" of trade of these services between RTOs have implications for selective meet reliability criteria? (Issue I.b.15)     Nerce Nerce Market Impacts of Transaction curtailments for Security may extend differences in market timing. Extended     Nerce Nerce Market Impacts of Transaction curtailments for security may extend differences in market timing. Extended     Nerce Nerce Market Up and the reliability criteria? (Issue I.b.15)     Nerce Nerce Market Impacts of Transaction curtailments for security may extend differences in market timing. Extended     Nerce Nerce Market Up and the reliability for the line of the line to security may exte						resource adequacy requirement independent of										
9       System Reliability       Operating Reserves/Resource Adequacy       Energy and Reactive Capacity Reserve Requirements       NERC Regional Criteria and Reserve Sharing - define operating policy changes, waivers, or certifications that are needed to permit security-constrained dispatch over multiple existing control areas to allow flows not to be tagged; Joint Reliability Coordination - NERC Policies 5 and 9       In PJMMISO All       New Society Constrained All       New Society Constrained Public existing Coordination - NERC Policies 5 and 9         2       System Reliability       Operating Reserves/Resource Adequacy       Reliability Aspects of Inter-Market Scheduling of Ancillary Services       Market Design - Day Ahead. Ancillary Service Market       How does bidding of ancillary services between or among RTOs affect the scheduling and dispatch obligations within the RTOs? Can this kind of trade of these services between RTOs have implications for either the "exporting" or "importing" or importing" or "importing"						the requirement for balanced schedules. (Issue							Syd Berwager -			
9       System Reliability       Operating Reserves/Resource Adequary       Energy and Reactive Capacity Reserves/Resource Adequary       Sharing - define operating policy changes, waivers, or certifications that are needed or multiple existing control areas to allow those not to be tagged. Joint Reliability Coordination - NERC Policies 5       In PJMMISO       Narket Rule / PJM       Narket Rule / PJM       Narket Rule / PJM       In PJMMISO Market Rule / Business Practice       In PJMMISO         2       System Reliability       Operating Reserves/Resource Adequary       Reliability Aspects of Inter-Market Scheduling of Ancillary Services       Market Design - Day Ahead. Ancillary Service Market       How does bidding of ancillary services between or among RTOs affect the scheduling and dispatch obligations within the ROS 2 can this kind of trade between RTOs be accommodated? Does trade of these services between RTOs be accommodated?       In Northeset       In Northeset <td></td> <td></td> <td></td> <td></td> <td></td> <td>X.2).</td> <td></td> <td></td> <td></td> <td></td> <td>Other issues.</td> <td>Work Group</td> <td>Bonneville PA</td> <td>No</td> <td></td> <td></td>						X.2).					Other issues.	Work Group	Bonneville PA	No		
9       System Reliability       Operating Reserves/Resource Adequacy       Energy and Reactive Capacity Reserve requirements       Image: System requirements       Image: System requirements <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>																
9       System Reliability       Operating Reserves/Resource Adequace       Energy and Reactive Capacity Reserve over multiple existing control areas to allow flows not to be tagged; Joint Reliability Coordination - NERC Policies 5       Image: Policy and Policy areas to allow flows not to be tagged; Joint Reliability Coordination - NERC Policies 5         2       System Reliability       Operating Reserves/Resource Adequace       Reliability Aspects of Inter-Market Scheduling of Ancillary Services       Market Design - Day Ahead. Ancillary Service Market       How does bidding of ancillary services between or among RTOs affect the scheduling and dispatch obligations within the RTOS? Can this kind of trade between RTOs be accommodated? Does trade of these services between RTOs have implications for itimosting or itimostrig in porting" or "importing" RTO's ability to meet reliability criteria? (Issue I.b.15)       Image: Image and the portion of the policy of transaction curtaliments for Reliability. Reserves       Image and the policy of transaction curtaliments for Reliability need due to differences in market timing. Extended       Image and the policy of transaction curtaliments for Reliability need due to differences in market timing. Extended       Image and the policy of transaction curtaliment for Reliability need due to differences in market timing. Extended       Image and the policy of transaction curtaliment for Reliability need due to differences in market timing. Extended       Image and the policy of the reliability need due to differences in market timing. Extended       Image and the policy of the reliability need due to differences in market timing. Extended       Image and the policy of the reliability need due to differences in market timing. Extended       Image and the policy																
9       Reliability       Operating Reserves/Resource Adequacy       Requirements       over multiple existing control areas to allow flows not to be tagged, Joint Reliability Coordination - NERC Policies 5 and 9       All       PJM       MISO       Basiness Practice       Congestion Maragement Proposal within the RTOs?         2       System Reliability       Operating Reserves/Resource Adequacy       Reliability Aspects of Inter-Market Scheduling of Ancillary Services       Market Design - Day Ahead. Ancillary Services to the scheduling and dispatch obligations within the RTOs? Can this kind of trade between RTOs have implications for either the "exporting" or "importing" RTO's ability to meet reliability to meet       Service Market       Market Design - Day Ahead. Ancillary Services between RTOs base services between RTOs have implications for either the "exporting" or "importing" RTO's ability to meet       Reliability or meet       Market Impacts of Transaction curtailments for Security may extend beyond the reliability need due to differences in market timing. Extended       Market Impacts of Transaction curtailments for Reliability Response       In Northeast																
Reliability       Purchase       Requirements       Over multiple existing control areas to allow flows not to be tagged; Joint Reliability Coordination - NERC Policies 5 and 9       All       PJM       MISO       Congagement Market Rule / Business Practice         2       System Reliability       Operating Reserves/Resource Adequacy       Reliability Aspects of Inter-Market Scheduling of Ancillary Services       Market Design - Day Ahead. Ancillary Services between or among RTOs affect the scheduling and dispatch obligations within the RTOs? Can this kind of trade between RTOs be accommodated? Does strade of these services between RTOs have implications for either the "exporting" or "importing" RTOs ability to meet reliability criteria? (Issue 1.b.15)       Image: Reliability or either the eispoility Reserves       Section Curtailments for Reliability Reserves       Market Impacts of Transaction curtailment or Reliability Reserves       Market Impacts of Transaction curtailment for Reliability Reserves       Market Impacts of Transaction curtailment for Reliability Reserves       Market timing. Extended       Image: North Reliability Reserves       North Reliability Reserves         7       System Reliability       Transaction Curtailments for Reliability Reserves       Market Impacts of Transaction curtailment or Reliability Reserves       Image: North Reliability Reserves       Image: North Reliability Reserves       Image: North Reliability Reserves       Image: North Reliability Reserves       SSG-WI, CMA         7       System Reliability Reserves       Market Impacts of Transaction curtailments for Reliability Reserves       Market			Operating Reserves/Resource Adequacy													NERC
Image: Point of the second		Reliability	approximg resorresource Adequacy	Requirements									Jeff Mueller			HERO
Image: Note: N													(PSEG), and			
2     System Reliability     Operating Reserves/Resource Adequacy     Reliability Aspects of Inter-Market Scheduling of Ancillary Services     Market Design - Day Ahead. Ancillary Service Market     How does bidding of ancillary services between or among RTOs affect the scheduling and dispatch obligations within the RTOs? Can this kind of trade between RTOs be accommodated? Does trade of these services between RTOs have implications for either the "exporting" or "importing" RTO's ability to meet reliability criteria? (Issue I.b.15)     Market Impacts of Transaction Curtailments for Reliability Reasons     Market Impacts of Transaction Curtailments for Reliability Reasons     Market timing. Extended     Market timing. Extended													Andy Rodriguez		-	
2       System Reliability       Operating Reserves/Resource Adequacy       Reliability Aspects of Inter-Market Scheduling of Ancillary Services       Market Design - Day Ahead. Ancillary Service Market       or among RTOs affect the scheduling and dispatch obligations within the RTOs? Can this kind of trade between RTOs be accommodated? Does trade of these services between RTOs have implications for either the "exporting" or "importing" RTO's ability to meet reliability criteria? (Issue I.b.15)       Image: Commodate and the comparison of the comparison of the criteriability criteria?         7       System Reliability       Transaction Curtailments       Market Impacts of Transaction Curtailments for Reliability Reasons       Transaction Curtailments for Reliability Reasons       Image: Norther Reliability Reasons       Image: Norther Reliability Reasons					and 9			All	PJM	MISO	Business Practice	Whitepaper	(PJM)	J	2	
2       System Reliability       Operating Reserves/Resource Adequacy       Reliability Aspects of Inter-Market Scheduling of Ancillary Services       Market Design - Day Ahead. Ancillary Service Market       or among RTOs affect the scheduling and dispatch obligations within the RTOs? Can this kind of trade between RTOs be accommodated? Does trade of these services between RTOs have implications for either the "exporting" or "importing" RTO's ability to meet reliability criteria? (Issue I.b.15)       Image: Commodate and the comparison of the comparison of the criteriability criteria?         7       System Reliability       Transaction Curtailments       Market Impacts of Transaction Curtailments for Reliability Reasons       Transaction Curtailments for Reliability Reasons       Image: Norther Reliability Reasons       Image: Norther Reliability Reasons						How does bidding of ancillary services between										
2       System Reliability       Operating Reserves/Resource Adequace       Reliability Aspects of Inter-Market Scheduling of Ancillary Services       Market Design - Day Ahead. Ancillary Service Market       dispatch obligations within the RTOS? Can this kind of trade between RTOs be accommodate? Does trade of these services between RTOs have implications for either the "exporting" or "importing" RTO's ability to meet       Implications for either the "exporting" or "importing" RTO's ability to meet       Implications for either the "exporting" or "importing" RTO's ability to meet       Implications for either the "exporting" or "importing" RTO's ability to meet       Implications for either the "exporting" or "importing" RTO's ability to meet       Implications for either the "exporting" or "importing" RTO's ability to meet       Implications for either the "exporting" or "importing" RTO's ability to meet       Implications for either the "exporting" or "importing" RTO's ability to meet       Implications for either the "exporting" or "importing" RTO's ability to meet       Implications for either the "exporting" or "importing" RTO's ability to meet       Implications for either the "exporting" or "importing" RTO's ability to meet       Implications for either the "exporting" or "importing" RTO's ability to meet       Implications for either the "exporting" or "importing" RTO's ability to meet       Implications for either the "exporting" or "importing" RTO's ability to meet       Implications for either the "exporting" or "importing" RTO's ability to meet       Implications for either the "exporting" or "importing" RTO's ability to meet       Implications for either the "exporting" or "importing" RTO's ability to meet       Implications for either the "exporting" or "importing" RTO's																
2       System Reliability       Operating Reserves/Resource Adequacy       Reliability Aspects of Inter-Market Scheduling of Ancillary Services       Market Design - Day Ahead. Ancillary Service Market       wind of trade between RTOs be accommodated? Does trade of these services between RTOs have implications for either the "exporting" retro's ability to meet       wind of trade between RTOs be accommodated? Does trade of these services between RTOs have implications for either the "exporting" retro's ability to meet       wind of trade between RTOs be accommodated? Does trade of these services between RTOs have implications for either the "exporting" retro's ability to meet       wind of trade between RTOs be accommodated? Does trade of these services between RTOs ability to meet       wind of trade between RTOs be accommodated? Does trade of these services between RTOs ability to meet       wind of trade between RTOs have implications for either the "exporting" retro"       wind of trade between RTOs be accommodated? Does trade of these services between RTOs have implications for either the "exporting" retro's ability to meet       wind of trade between RTOs have implications for either the "exporting" retro's ability or iteria? (Issue 1.b.15)       wind of trade between RTOs have implications for either the "exporting" retro's ability or iteria? (Issue 1.b.15)       wind of trade between RTOs have implications for either the "exporting" retro       wind of trade between RTOs have implications for either the "exporting" retro       wind of trade between RTOs have implications for either the "exporting" retro       wind of trade between RTOs have implications for either the "exporting" retro       wind of trade between RTOs have implications for either the "exporting" retro       wind of trade between RTOs hav																
2       Reliability       Operating Reserves/Resource Adequacy       Scheduling of Ancillary Services       Service Market       accommodated? Does trade of these services between RTOs have implications for either the "exporting" or "importing" RTO's ability to meet       market issues.       SSG-WI, CMA Work Group         7       System       Transaction Curtailments       Market Impacts of Transaction Curtailments for security may extend beyond the reliability need due to differences in market timing. Extended       Market Impacts of Transaction       In Northeast		Svstem		Reliability Aspects of Inter-Market	Market Design - Day Ahead, Ancillary											
7       System Reliability       Transaction Curtailments       Market Impacts of Transaction Curtailments for security may extend beyond the reliability need due to differences in market timing. Extended       between RTOs have implications for either the "exporting" RTO's ability to meet reliability criteria? (Issue I.b.15)       between RTOs have implications for either the "exporting" RTO's ability to meet reliability criteria? (Issue I.b.15)       between RTOs have implications for either the "exporting" RTO's ability to meet reliability criteria? (Issue I.b.15)       between RTOs have implications for either the "exporting" RTO's ability to meet reliability criteria? (Issue I.b.15)       between RTOs have implications for either the "exporting" RTO's ability to meet reliability criteria? (Issue I.b.15)       between RTOs have implications for either the "exporting" RTO's ability to meet reliability criteria? (Issue I.b.15)       between RTOs have implications for either the "exporting" RTO's ability to meet reliability criteria? (Issue I.b.15)       between RTOs have implications for either the "exporting" RTO's ability to meet reliability criteria? (Issue I.b.15)       between RTO's ability to meet reliability criteria? (Issue I.b.15)			Operating Reserves/Resource Adequacy													
responsibility     responsibility     responsibility or importing" RTO's ability to meet reliability criteria? (Issue I.b.15)     responsibility				, <u>.</u>												
reliability criteria? (Issue I.b.15)     set of the second s																
Transaction Curtailments     Market Impacts of Transaction Curtailments for security may extend beyond the reliability need due to differences in market timing. Extended     Market Impacts of Transaction curtailments for security may extend beyond the reliability need due to     Impacts of Transaction beyond the reliability need due to											Maderia		Syd Berwager -	N.,		
7 System Reliability Transaction Curtailments Market Impacts of Transaction Curtailments for Reliability Reasons						,					Market issues.	work Group	Bonneville PA	No		
7 System Reliability Transaction Curtailments Curtailments for Reliability Reasons beyond the reliability need due to differences in market timing. Extended																
7 System Transaction Curtailments Curtailments Curtailments for Beliability Reasons differences in market timing. Extended																
/ Reliability Iransaction Curtailments Curtailments for Reliability Reasons differences in market timing. Extended		System		Market Impacts of Transaction								L. M. St.				
curtailments are disruptive to both the													Jeff Mueller			NERC
				,,									(PSEG), and			
													Andy Rodriguez			
the grid. The grid. Market to Market to Market PJM ISO Business Practice Plan					the grid.	1		Market to Market	PJM	ISO	Business Practice	Plan	(PJM)	Н	3	

Priority

Resp

Org

Reference

Papers

Currently

Submitter

Region 1 Region 2 Impediment Type Addressed ?

Orig #	Category	1ST Sub-Category	2ND Sub-Category	Description of Seam Issue	Comments	Assoc/ Notes	Seam Interface Type	Region 1	Region 2	Seam Impediment Type	Currently Being Addressed ?	Submitter	Reference Papers	Priority	Resp Org
126	System Reliability	Unscheduled/Parallel Path Flow Management	Interchange Distribution Calculator Requirements	Definition of coordination between market entity (PJM or MISO) and the IDC; define necessary changes to IDC; updates of base cases and book of flowgates			All	PJM	MISO	Market Rule / Business Practice	In PJM/MISO Congestion Management Proposal Whitepaper	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	J	1	
127	System Reliability	Unscheduled/Parallel Path Flow Management	Interchange Distribution Calculator Requirements	Industry oversight and reporting of PJM and MISO impact calculations - IDC cost, cost allocation to reimburse NERC			All	PJM	MISO	Market Rule / Business Practice	In PJM/MISO Congestion Management Proposal Whitepaper	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	J	3	
23	System Reliability	Unscheduled/Parallel Path Flow Management	Parallel Path/ Unscheduled Flow Monitoring and Operation	How different congestion management methodologies will interact to ensure parallel flows and impacts are recognized and controlled to ensure system reliability		115	All	All	All	Physical	Yes	Linda Horn - WE Energies	No	1	
24	System Reliability	Voltage Control		Voltage Operating Procedures	Being reviewed by PJM/MISO. See PJM presentation "Status Report to FERC on July 31, 2002 Alliance Order" dated Jan 2003, page 6 as posted under NAESB WEQ Seams subcommittee July 8 date	(was #27.4)	All	All	All	Market Rule / Business Practice	Yes	Linda Horn - WE Energies	D	2	
5	System Reliability	Operating Reserves/Resource Adequacy	Energy and Reactive Capacity Reserve Requirements	Provision of reserves across multiple control areas	Annual Plan Item 4cii moved from MOS	51	All	All	All	Market Rule / Business Practice	No	Lou Oberski - Dominion Energy	L		
39	Transaction Scheduling	Controllable Line Scheduling		Controllable Line Scheduling	Concept of operations for general methodology to schedule controllable lines between RTOs. Being reviewed by NYISO	58	All	NYISO	RTO	Market Rule / Business Rule	Yes	Marjorie Perlman - Energy East	No		
58	Transaction Scheduling	Controllable Line Scheduling		Controllable line scheduling	Concept of Operations for general methodology to schedule controllable lines has been drafted. A multi-ISO stakeholder group (similar to JCAG) needs to be formed to review the draft Concept of Operations to provide stakeholder input.	39, 60	RTO Market to RTO Market	ISO New England	NY ISO		Northeast ISO	Joe Rossignoli - National Grid	G		
60	Transaction Scheduling	Controllable Line Scheduling		Cross-border price convergence	The lack of price convergence at the control area boundaries may inhibit the desire of market participants to arbitrage between neighboring markets. This issue is being referred to the individual ISO Market Committees for further definition on the business issue that needs resolution.	58	RTO Market to RTO Market	ISO New England	NY ISO		Northeast ISO	Joe Rossignoli - National Grid	G		
12	Transaction Scheduling	Interchange Scheduling Standardized Protocols	Develop Electronic Scheduling	Interchange/Intrachange Scheduling Data Exchange	Current E-Tagging process is inadequate for exchanging reliability and market data within the Western Interconnection. Solution: Electronic Scheduling		All	Non-RTO Market/ISO Market	Non-RTO Market/ISO Market	Market Rule/Business Practice	Yes - WECC	Steven Cobb - SRP	No		
41	Transaction Scheduling	Interchange Scheduling Standardized Protocols	Inter-Market Ramping Requirements Standardization	Scheduling Coordination (including Ramp Rates)	RTOs have different ramp rates and scheduling		All	NYISO	RTO	Market Rule / Business Rule	Yes	Marjorie Perlman - Energy East	No		
79	Transaction Scheduling	Interchange Scheduling Standardized Protocols	Standardize Inter-Market Scheduling Timelines	Market Design - Day Ahead. Other Scheduling Requirements	Should the time intervals and submission times be synchronized to mitigate obstacles to inter- RTO trade? (Issue I.b.12)					Financial approach scheduling issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
78	Transaction Scheduling	Interchange Scheduling Standardized Protocols	Tools and Procedures to Accommodate Inter-Market Interchange Scheduling Requirements	Market Design - Day Ahead. Schedule Components	Can tools be developed for scheduling submission that assist the user in meeting any differences in protocols between RTOs? (Issue I.b.11)					Financial approach scheduling issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
8	Transaction Scheduling	Interchange Scheduling Standardized Protocols		Scheduling	Inconsistent procedures among entities. Solution: Western Interconnection Standardized Interchange Scheduling Protocols.		RTO Market to Non-RTO Market	Non-RTO Market	ISO Market	Market Rule/Business Practice	Yes - SSG - WI	Steven Cobb - SRP	No		

Orig #	Category	1ST Sub-Category	2ND Sub-Category	Description of Seam Issue	Comments	Assoc/ Notes	Seam Interface Type	Region 1	Region 2	Seam Impediment Type	Currently Being Addressed ?	Submitter	Reference Papers	Priority	Resp Org
76	Transaction Scheduling	Interchange Scheduling Standardized Protocols		Market Design - Day Ahead. Model objective function	Do differences in the scheduling requirements (e.g., requirements for balanced schedules) between RTOs create seams problems for inter- RTO schedules? If so, can these problems be mitigated? (Issue I.b.9)					Modeling issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
104	Transaction Scheduling	Interchange Scheduling Standardized Protocols		Transmission Checkout Failure - Operators curtail transactions due to mismatched tag data, different MW volumes, etc. The curtailment of transactions due to data incompatibility is disruptive to both the marketplace and the reliable operation of the grid.			Market to Market	PJM	ISO NE, NY ISO	Market Rule / Business Practice	In Northeast Power Markets Seams Action Plan	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	н	3	
106	Transaction Scheduling	Interchange Scheduling Standardized Protocols		Transaction Scheduling - Inconsistent information and market timing rules lead to uncertainty and risk that discourage the scheduling of some inter-regional transactions.			Market to Market	PJM	ISO NE, NY ISO	/ Market Rule / Business Practice	In Northeast Power Markets Seams Action Plan	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	Н	3	
32	Transmission Service	Transmission Market Design	Transmission Service Product Type Priority	MISO- PJM market allocation will give preference to the market as Network over PTP even though the Market allocation my be a non paying transmission customer.			RTO Market to RTO Market	MISO	PJM	Market Rule / Business Practice		Dave Nick - DTE Energy	E		
40	Transmission Service	Transmission Market Standard Product Definitions and Priorities	Multiple Proxy Bus Development	Multiple Proxy Buses for Free Flowing Interfaces	Development of multiple proxy buses between RTOs for scheduling and pricing.		All	NYISO	RTO	Market Rule / Business Rule	Yes	Marjorie Perlman - Energy East	No		
4	Transmission Service	Transmission Market Standard Product Definitions and Priorities		Definition & treatment of Firm/nonfirm Transmission	Annual Plan Item 4cii moved from MOS		All	All	All	Market Rule / Business Practice	No	Lou Oberski - Dominion Energy	No		
103	Transmission Service	Transmission Market Standard Product Definitions and Priorities		Transmission Service - Market participants require consistent treatment of transmission products across multiple control areas to reduce perceived market risk, scheduling confusion and uncertainty.			Market to Market	PJM	ISO NE, NY ISO		In Northeast Power Markets Seams Action Plan	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	н	3	
124	Transmission Service	Transmission Market Standard Product Definitions and Priorities		Wide area dispatch and network resources to network loads - resource deliverability if not a firm network load			All	PJM	MISO	Market Rule / Business Practice	In PJM/MISO Congestion Management Proposal Whitepaper	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	J	3	
141	Transmission Service	Transmission Market Standard Product Definitions and Priorities		Replacement of contract path with flow- based transmission service		14, 16, 94, 95	All	Eastern Inter- connection	Eastern Inter- connection	Business Practice	No	Ed Davis - Entergy	No		
54	Transmission Service	Transmission Service Pricing	Discounting of Market Interface Transmission ATC	Transmission service charge discounting	Ability for TOs to discount TSC rates on external interfaces to selectively reduce export charges and encourage use of ties. The software exists, however, there does not appear to be any business incentives to exercise discounts.		RTO Market to RTO Market	ISO New England	NY ISO		Northeast ISO	Joe Rossignoli - National Grid	G		
22	Transmission Service	Transmission Service Pricing	Market Interface Transmission Service Pancaking	Rate pancaking elimination	Being reviewed by PJM/MISO.	38, 105	All	All	All	Market Rule / Business Practice	Yes	Linda Horn - WE Energies	No	1	FERC
38	Transmission Service	Transmission Service Pricing	Market Interface Transmission Service Pancaking	Rate Pancaking	Charges to Market Participants who conduct business over more than one RTO. Reciprocal agreements needed to eliminate these charges. NYISO and ISO-NE		All	NYISO	RTO	Market Rule / Business Rule	Yes	Marjorie Perlman - Energy East	No		
105	Transmission Service	Transmission Service Pricing	Market Interface Transmission Service Pancaking	Export Charges (Pancaking) - Control- area specific export charges remove incentives to transact business when transaction margins are of the same magnitude or less than the prevailing export charges. Such charges include transmission and ancillary service components.			Market to Market	РЈМ	ISO NE, NY ISO	, Market Rule / Business Practice	In Northeast Power Markets Seams Action Plan	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	н	3	

Orig #	Category	1ST Sub-Category	2ND Sub-Category	Description of Seam Issue	Comments	Assoc/ Notes	Seam Interface Type	Region 1	Region 2	Seam Impediment Type	Currently Being Addressed ?	Submitter	Reference Papers	Priority	Resp Org
117	Transmission Service	Transmission Service Procurement	Common Reservation System for Market Interface Transmission ATC	Contract Tie Capacity - One Stop Shopping			All	PJM	MISO	Market Rule / Business Practice	No	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	No	2	
6	Transmission Service	Transmission Service Procurement	Common Western Interconnection Wide OASIS	Transmission Access	No transmission market one stop shopping available for the Western Interconnection - entities can't find needed information to efficiently conduct business on a preschedule or real-time basis. Solution: Common OASIS Site needed.		All	Non-RTO Market	Non-RTO Market/ISO Market	Market Rule/Business Practice	Yes - Various Transmission Providers	Steven Cobb - SRP	No		
89	Transmission Service	Transmission Service Procurement	Hour Ahead Transmission Service Market Standardization	Market Design - Day Ahead. Release of Unused Transmission Capacity after Close of DA Markets	How are boundary prices to be synchronized between RTO's if only one RTO has a hour ahead process? Is it necessary to align hour ahead markets? (Issue I.c.1)					Fundamental approach scheduling issues.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
33	Transmission Service	Transmission Service Procurement	Intra-Hour Transmission Service Procurement	Standard for Purchasing of Inter-Hour Transmission	The ability to purchase transmission after the top of the hour when the transmission service is predetermined as available in prior hour.		All	All	All	Market Rule / Business Practice	No	Tony Reed - Southern	No		
65	Transmission Service	Transmission Service Procurement	Long-Term Transmission Service for New Construction	Market Design - Prior to Day Ahead. Duration	To the extent that longer term transmission rights are needed for new construction, can agreement be reached to issue long term rights? (Issue I.a.6)					Fundamental approach financial hedging issue.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
67	Transmission Service	Transmission Service Procurement	Secondary Transmission Service Market Standardization	Market Design - Prior to Day Ahead. Primary Release Mechanism	There seems to be agreement here that a secondary market would be outside the RTO. If the resulting secondary market is not westwide, will coordination be needed? (Issue I.a.8)					Fundamental approach financial hedging issue.	SSG-WI, CMA Work Group	Syd Berwager - Bonneville PA	No		
112	Transmission Service	Transmission Service Procurement	Transmission Service for ICAP Market	Long-term Transmission Service Availability to Support ICAP Transactions Firm transmission reservation requirements to establish "Deliverability" as a requirement to buy external ICAP results in an economic advantage for internal suppliers and a barrier to market entry for external suppliers.	-		Market to Market	РЈМ	ISO NE, NY ISO	/ Market Rule / Business Practice	In Northeast Power Markets Seams Action Plan	Jeff Mueller (PSEG), and Andy Rodriguez (PJM)	н	3	
28	Transmission Service	Transmission Service Settlement	Consolidate Multiple Market Transmission Service Settlement Statements	Multiple transmission service charge invoicing	Being reviewed by PJM/MISO.		All	All	All	Market Rule / Business Practice	Yes	Linda Horn - WE Energies	No	3	
56	Transmission Service	Transmission Service Settlement	Consolidate Multiple Market Transmission Service Settlement Statements	Multiple transmission service charge invoicing	Companies that conduct business across Control Area borders are faced with receiving a TSC bill from each TO. A single charge should be provided to each transaction to the appropriate parties and revenues allocated to the TOs according to the appropriate usage formulas.		RTO Market to RTO Market	ISO New England	NY ISO		Northeast ISO	Joe Rossignoli - National Grid	G		

#	
	Reference Paper or Supporting Document Provided
A	"Profit-Enhancing Seam Management: A White Paper on Pricing The Unscheduled Flows of Electricity Across the Seams Between Utilities Using A Geographically Differentiated Auction of Inadvertent Interchange", released 2001 March 25 (Mark Lively - Lively Utility).
В	"WOLF: Wide Open Load Following," A presentation to the NERC Market Interface Committee, 2002 September 4-5, Houston, Texas (Mark Lively - Lively Utility).
С	E-Mail by Mark Lively to NAESB WEQ Seams Subcommittee of 9/4/2003 8:28:10 PM Eastern Standard Time (Mark Lively - Lively Utility).
D	See the PJM/MISO JOA dated 8/5/03 (Linda Horn - WE Energies).
E	MISO - PJM Managing Congestion to Address Seam Paper, April 28, 2003 (Dave Nick - DTE Energy) (Ed. note: white paper updated Aug. 4, 2003).
F	Intentionally left blank.
G	Northeast ISOs Seams Resolution Report: History of Seam Issues Resolution (Jan. 15, 2003); and Ongoing Northeast ISOs "Seams" Projects, 2003-2004 (Jan. 14, 2003) (Joe Rossignoli - National Grid).
Н	In Northeast Power Markets Seams Action Plan - October 9, 2002 and July 14, 2003, and July 3, 2003 timeline update (Jeff Mueller - PSEG).
Ι	Attachement A of MISO and PJM Reliability Plans (Jeff Mueller - PSEG).
J	MISO compliance filings in FERC Docket No. EL03-35-004 and in Whitepaper "Managing Congestion to Address Seams" PJM and MISO May 16, 2003 (Jeff Mueller - PSEG).
к	ATC's Attachment K (Jeff Mueller - PSEG).
L	M. Lively, Forcing Reserves to Compete with a Physical Market (2002) (Lou Oberski Dominion Energy).